

pipe-seamless.com

GB/T5310 15CrMoG Alloy Seamless Steel Pipe For High Pressure Boiler

Basic Information

Place of Origin: cangzhouBrand Name: BaoYangCertification: CE & ISO

Model Number: GB/T5310 15CrMoG

Minimum Order Quantity:

Price: Negotiable

Packaging Details: Standard Export Packing
 Delivery Time: 7~30 working days

Payment Terms:
 L/C, D/A, D/P, T/T, Western Union



Product Specification

Name: Seamless Alloy Steel Pipes

Process: Hot Rolled Cold Rolled Cold Drawn

Standards: GB/T5310 15CrMoGMaterial: Alloy Steel Pipe

• Wall Thickness: 1-30mm (0.04 Inch - 0.78 Inch)

• Outer Diameter: 10-324mm

• Processing Service: Bending, Punching, Cutting

• Usage: Pipeline Transport, Oil/Gas Drilling,

Machinery Industry

• Highlight: 15crmog alloy seamless steel pipe,

gb alloy seamless pipe, gb/t5310 alloy seamless pipe



Product Description

GB/T5310 15CrMoG Alloy Seamless Steel Pipe for High Pressure Boiler

1. Product Description: GB/T5310 15CrMoG Alloy Seamless Steel Pipe is specifically designed for high pressure boiler applications that demand exceptional heat resistance and mechanical strength. Manufactured from 15CrMoG alloy steel, these pipes are seamless, providing uniform wall thickness and superior structural integrity. The 15CrMoG grade offers excellent creep resistance and is well-suited for use in critical boiler components.

2. Product Parameters:

Parameter	Description	
Grade	GB/T5310 15CrMoG	
Material	Alloy Steel (Seamless)	
Standard	GB/T5310	
Size Range	Various diameters and wall thicknesses as per GB/T5310	
Length	gth Standard lengths, customizable upon request	
Ends	Plain ends, beveled ends, threaded, or socket-weld ends	
Surface Treatment	ce Treatment As-rolled, annealed, or normalized	

3. Mechanical Properties:

Property	Typical Requirements
Tensile Strength	≥440 MPa (64,000 psi)
Yield Strength	≥295 MPa (42,500 psi)
Elongation	≥20% in 50 mm (2 in) or 4D, whichever is greater
Hardness	Varies depending on heat treatment

4. Chemical Composition:

Element	Typical Range (%)
Carbon	0.12 - 0.20
Chromium	0.40 - 0.70
Molybdenum	0.40 - 0.60
Manganese	≤1.00
Phosphorus	≤0.025
Sulfur	≤0.025

5. Product Applications:

Boiler Tubes: Used for steam generation in high-pressure boilers.

Superheater and Reheater Tubes: Employed in superheater and reheater sections of steam power plants.

Heat Exchangers: Suitable for use in heat exchangers operating under high pressure and temperature.

Pressure Vessels: Ideal for construction of high-pressure vessels and reactors in petrochemical and refining industries.

6. Product Advantages:

Seamless Construction: Provides a consistent material structure and eliminates potential seam-related failures.


High-Pressure Resistance: Alloy steel offers excellent resistance to high pressures and temperatures.

Creep Resistance: Designed to resist deformation under prolonged exposure to heat, critical in boiler applications.

Weldability: The 15CrMoG grade has good weldability, facilitating easy integration into various systems.

Corrosion Resistance: Enhanced resistance to corrosion and oxidation due to the alloy content.













Company Profile

BAOYANG · CHINA COMPANY INFORMATION



Cangzhou BaoYang Pipe Industry Co., Ltd

Cangzhou Baoyang Pipe Industry Co., Ltd. is located in the Hope New Area of Mengcun County, Hebei Province, China's pipeline equipment base. It is an enterprise that integrates spot storage of steel pipes, production of pipe fittings, and sales and exports. Our company mainly operates seamless pipes made of special materials, and has long-term good cooperative relationships with major steel mills such as Tianjin Seamless, Hengyang Hualing, Yantai Lubao, Inner Mongolia Baosteel, Shanghai Baosteel, Jiangsu Chengde, Anhui Tianda, etc. Our products are widely used in pipeline engineering fields such as petroleum, petrochemical, chemical, natural gas, thermal power, boilers, etc

Factory Tour



team introduction

OUR FRIENDS



Applications

BAOYANG · CHINA **APPLICATION SCENARIOS**



+8615131762322

BYpipe001@pipe-seamless.com

pipe-seamless.com

Room 512, Block B, Tiancheng Building, Yunhe District, Cangzhou City