



GB/T9948 12Cr5Mo High Pressure Seamless Alloy Steel Pipe For Pipeline Transport Gas Drilling

Our Product Introduction

Basic Information

- Place of Origin: cangzhou
- Brand Name: BaoYang
- Certification: CE & ISO
- Model Number: GB/T9948 12Cr5Mo
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Standard Export Packing
- Delivery Time: 7~30 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union



Product Specification

- Name: Seamless Alloy Steel Pipes
- Process: Hot Rolled Cold Rolled Cold Drawn
- Standards: GB/T9948 12Cr5Mo
- Material: Alloy Steel Pipe
- Wall Thickness: 1-30mm (0.04 Inch - 0.78 Inch)
- Outer Diameter: 10-324mm
- Processing Service: Bending, Punching, Cutting
- Usage: Pipeline Transport, Oil/Gas Drilling, Machinery Industry
- Highlight: **high pressure seamless alloy steel pipe, gb alloy seamless pipe, gb/t9948 alloy seamless pipe**



Product Description

GB/T9948 12Cr5Mo High Pressure Alloy Seamless Boiler Tubes

1. Product Description: GB/T9948 12Cr5Mo High Pressure Alloy Seamless Boiler Tubes are premium-grade tubes designed for use in high pressure boiler systems that require exceptional heat resistance and mechanical strength. These tubes are manufactured from an alloy steel known for its superior creep resistance and good weldability. The seamless construction ensures uniform wall thickness and optimal structural integrity, making them ideal for critical boiler components.

2. Product Parameters:

Parameter	Description
Grade	GB/T9948 12Cr5Mo
Material	High Pressure Alloy Steel (Seamless)
Standard	GB/T9948
Size Range	Various diameters and wall thicknesses as per GB/T9948
Length	Standard lengths, customizable upon request
Ends	Plain ends, beveled ends, threaded, or socket-weld ends
Surface Treatment	As-rolled, annealed, or normalized

3. Mechanical Properties:

Property	Typical Requirements
Tensile Strength	≥415 MPa (60,000 psi)
Yield Strength	≥240 MPa (35,000 psi)
Elongation	≥20% in 50 mm (2 in) or 4D, whichever is greater
Hardness	Varies depending on heat treatment

4. Chemical Composition:

Element	Typical Range (%)
Carbon	0.08 - 0.15
Chromium	4.00 - 6.00
Molybdenum	0.40 - 0.60
Manganese	≤1.00
Phosphorus	≤0.025
Sulfur	≤0.025

5. Product Applications:

Boiler Tubes: Used for steam generation in high-pressure boilers.

Superheater Tubes: Employed in superheater sections to raise steam temperature.

Heat Exchangers: Suitable for use in heat exchangers operating under high pressure and temperature.

Pressure Vessels: Ideal for construction of high-pressure vessels and reactors in petrochemical and refining industries.

6. Product Advantages:

Seamless Construction: Provides a consistent material structure and eliminates potential seam-related failures.

High-Pressure Resistance: Alloy steel offers excellent resistance to high pressures and temperatures.



Creep Resistance: Designed to resist deformation under prolonged exposure to heat, critical in boiler applications.


Weldability: The 12Cr5Mo grade has good weldability, facilitating easy integration into various systems.

Corrosion Resistance: Enhanced resistance to corrosion and oxidation due to the alloy content.

Product Image

Cangzhou Baoyang Pipeline Co., Ltd





Company Profile

BAOYANG · CHINA COMPANY INFORMATION



Cangzhou BaoYang Pipe Industry Co., Ltd

Cangzhou Baoyang Pipe Industry Co., Ltd. is located in the Hope New Area of Mengcun County, Hebei Province, China's pipeline equipment base. It is an enterprise that integrates spot storage of steel pipes, production of pipe fittings, and sales and exports. Our company mainly operates seamless pipes made of special materials, and has long-term good cooperative relationships with major steel mills such as Tianjin Seamless, Hengyang Hualing, Yantai Lubao, Inner Mongolia Baosteel, Shanghai Baosteel, Jiangsu Chengde, Anhui Tianda, etc. Our products are widely used in pipeline engineering fields such as petroleum, petrochemical, chemical, natural gas, thermal power, boilers, etc

Factory Tour

Factory Picture

Cangzhou Baoyang Pipeline Co., Ltd



team introduction

OUR FRIENDS



Applications

BAOYANG · CHINA APPLICATION SCENARIOS



Cangzhou Baoyang Pipeline Equipment Co., Ltd.



+8615131762322



BYpipe001@pipe-seamless.com



pipe-seamless.com

Room 512, Block B, Tiancheng Building, Yunhe District, Cangzhou City